Application No. 10/775,075

Attorney Docket No.: 042100

Amendment Under 37 C.F.R. § 1.111

AMENDMENTS TO THE CLAIMS

The listing of claims below replaces all prior versions of claims in the application.

1. (Previously Presented): An electrodeposited copper foil, comprising:

a matte side surface, said matte side surface having a surface shape that is smooth with

intermittently spaced knob-like projections;

wherein the surface roughness thereof is 2.2 to less than 4 µm, and the copper foil is an

untreated copper foil.

2. (Previously Presented): An electrodeposited copper foil as set forth in claim 1,

wherein said smooth matte side surface having said knob-like projections and said surface

roughness of 2.2 to less than 4 µm is a surface of an untreated copper foil for bonding with a

resin substrate and is further roughening treated by running a predetermined current through the

foil for a predetermined time in an electroforming bath.

3. (Original): An electrodeposited copper foil as set forth in claim 2, wherein said

electroforming bath is an acidic electroforming bath containing at least one of molybdenum,

cobalt, nickel, iron, tungsten and arsenic.

4. (Previously Presented): An electrodeposited copper foil as set forth in claim 2 or 3,

wherein said smooth matte side surface is further formed with a copper plating layer.

- 2 -

Application No. 10/775,075

Attorney Docket No.: 042100

Amendment Under 37 C.F.R. § 1.111

5. (Previously Presented): An electrodeposited copper foil as set forth in claim 2 or 3,

wherein said smooth matte side surface is further formed with a copper plating layer and at least

one layer of nickel plating, zinc plating, cobalt plating, plating of an alloy of the same and a

chromate treatment layer on that.

6. (Previously Presented): An electrodeposited copper foil as set forth in claim 1,

wherein said smooth matte side surface having said knob-like projections and said surface

roughness of 2.2 to less than 4 µm is a surface of an untreated copper foil for bonding with a

resin substrate and is further formed with a copper plating layer and at least one layer of nickel

plating, zinc plating, cobalt plating, plating of an alloy of the same and a chromate treatment

layer on that.

7. (Withdrawn-Previously Presented): A method of producing an electrodeposited

copper foil comprising electrolysis using an electrolyte containing copper as a main component

and a compound having mercapto groups, at least one type of another organic compound, and

chloride ions to form a copper foil wherein part of its surface comprises a rough surface having

knob-like projections and a surface roughness of 2.2 to less than 4 µm.

8. (Withdrawn): A method of producing an electrodeposited copper foil as set forth in

claim 7, wherein an electroforming bath for a roughening treatment is an acidic electroforming

bath containing at least one of molybdenum, cobalt, nickel, iron, tungsten and arsenic.

- 3 -

Application No. 10/775,075

Attorney Docket No.: 042100

Amendment Under 37 C.F.R. § 1.111

9. (Withdrawn-Previously Presented): A method of producing an electrodeposited

copper foil comprising producing an electrodeposited copper foil having a matte side having a

surface roughness of 2.2 to less than 4 µm using an electrolyte containing a compound having

mercapto groups, at least one type of another organic compound, and chloride ions and

roughening treating said matte side of said electrodeposited copper foil by running a

predetermined current through it for a predetermined time in an electroforming bath.

10. (Previously Presented): An electrodeposited copper foil as set forth in claim 5,

wherein said smooth matte side surface having said knob-like projections is further formed with

a coupling agent treatment layer.

11. (Previously Presented): An electrodeposited copper foil as set forth in claim 6,

wherein said smooth matte side surface having said knob-like projections and said surface

roughness of 2.2 to less than 4 µm is further formed with a coupling agent treatment layer.

12. (Currently Amended): An electrodeposited copper foil as set forth in claim 1,

wherein an electrolyte for producing the copper foil contains sodium 3-mercapto propane

sulfonate [[or]] and hydroxyethylcellulose.

13. (New): An electrodeposited copper foil as set forth in claim 1, wherein the untreated

copper foil does not have deposited nodules.

- 4 -